

L Number	Hits	Search Text	DB	Time stamp
1	626	database with equation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 07:19
2	202	database with equation with (store\$4 include)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 07:51
3	15	(store\$4 include) adj equation near3 database	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 07:26
4	130	constraint adj database	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 07:51
5	130	"constraint database" "constraint databases"	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 07:53
6	48	"constraint database" "constraint databases"	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 08:00
7	2	5901068.pn.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 08:08
8	0	mathematical adj expressions with (store stored) with database	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 08:08
9	3	mathematical adj (formula expression) with (store stored) with database	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/08/28 08:09
36	2646	database with web with access	USPÄT; US-PGPUB	2003/08/28 10:21
37	863	database with web with access with information	USPAT; US-PGPUB	2003/08/28 10:41
38	14	database with web with access with information same central adj database	USPAT; US-PGPUB	2003/08/28 10:24
39	161	(database with web with access with information) and web adj site and @ad<19991630	USPAT; US-PGPUB	2003/08/28 10:42
-	1938	@ad<19990630 and 707/10.ccls.	USPAT; US-PGPUB	2003/08/27 10:13
-	556	(@ad<19990630 and 707/10.ccls.) and rules	USPAT; US-PGPUB	2003/08/26 13:01
-	419	(@ad<19990630 and 707/10.ccls.) and password	USPAT; US-PGPUB	2003/08/26 13:03
-	275	(@ad<19990630 and 707/10.ccls.) and manag\$5 adj data	USPAT; US-PGPUB	2003/08/26 13:04
-	26	((@ad<19990630 and 707/10.ccls.) and manag\$5 adj data) and (formula equation)	USPAT; US-PGPUB	2003/08/26 13:09
-	0	@ad<19990630 and rule with compatabil\$4 same (client remote) same server	USPAT; US-PGPUB	2003/08/26 13:10
-	395	@ad<19990630 and (client remote) same server with rule	USPAT; US-PGPUB	2003/08/26 13:13

-	10	@ad<19990630 and (client remote) same server with (download receive request) adj rule	USPAT; US-PGPUB	2003/08/26 13:14
-	2703	@ad<19990630 and database and data adj manage\$5	USPAT; US-PGPUB	2003/08/26 13:15
-	388	(@ad<19990630 and database and data adj manage\$5) and central\$5 with (rule access)	USPAT; US-PGPUB	2003/08/26 13:44
-	70	((@ad<19990630 and database and data adj manage\$5) and central\$5 with (rule access)) and internet and intranet	USPAT; US-PGPUB	2003/08/26 13:16
-	428	(@ad<19990630 and database and data adj manage\$5) and central\$5 with (rule access protocol)	USPAT; US-PGPUB	2003/08/26 13:45
-	165	main with remote with office	USPAT; US-PGPUB	2003/08/26 13:45
-	46	main with remote with office and database	USPAT; US-PGPUB	2003/08/26 13:49
-	440	@ad<19990630 and data adj manage\$4 and access adj control and database	USPAT; US-PGPUB	2003/08/26 13:52
-	101	(@ad<19990630 and data adj manage\$4 and access adj control and database) and data adj format	USPAT; US-PGPUB	2003/08/26 14:09
-	586	@ad<19990630 and centralized adj database	USPAT; US-PGPUB	2003/08/26 14:16
-	66	(@ad<19990630 and centralized adj database) and data adj manage\$4	USPAT; US-PGPUB	2003/08/26 15:11
-	5	integrated adj site adj assignments	USPAT; US-PGPUB; IBM_TDB	2003/08/26 15:20
-	5	713/202.ccls. and @ad<19990630 and central\$5 adj database	USPAT; US-PGPUB; IBM_TDB	2003/08/26 15:21
-	52	(713/202.ccls. and @ad<19990630 and database) and access adj (rule control)	USPAT; US-PGPUB; IBM_TDB	2003/08/26 15:25
-	430	@ad<19990630 and database and centralized adj control	USPAT; US-PGPUB; IBM_TDB	2003/08/26 15:25
-	0	@ad<19990630 and database and centralized adj control with data adj format	USPAT; US-PGPUB; IBM_TDB	2003/08/26 15:27
-	292	@ad<19990630 and database and control with data adj format	USPAT; US-PGPUB; IBM_TDB	2003/08/26 15:27
-	180	@ad<19990630 and database and control with data adj format and central\$5	USPAT; US-PGPUB; IBM_TDB	2003/08/26 15:29
-	168	713/202.ccls. and @ad<19990630 and database	USPAT; US-PGPUB; IBM_TDB	2003/08/26 15:52
-	292	@ad<19990630 and 713/\$.ccls. and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/08/26 15:53
-	20	@ad<19990630 and 713/\$.ccls. and 707/\$.ccls. and data adj management	USPAT; US-PGPUB; IBM_TDB	2003/08/26 15:56
-	15	@ad<19990630 and enterprise with (central\$5 adj database)	USPAT; US-PGPUB; IBM_TDB	2003/08/26 15:59
-	159	@ad<19990630 and remote with (central\$5 adj database)	USPAT; US-PGPUB; IBM_TDB	2003/08/26 16:30
-	98	@ad<19990630 and update with (central\$5 adj database)	USPAT; US-PGPUB; IBM_TDB	2003/08/26 16:37
-	65	@ad<19990630 and format with (central\$5 adj database)	USPAT; US-PGPUB; IBM_TDB	2003/08/26 16:53
-	82	@ad<19990630 and remote same locations same central\$5 adj database	USPAT; US-PGPUB; IBM_TDB	2003/08/26 16:55

-	598	@ad<19990630 and 707/201.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/08/26 16:55
-	60	@ad<19990630 and 707/201.ccls. and password	USPAT; US-PGPUB; IBM_TDB	2003/08/26 17:13
-	2	@ad<19990630 and database adj administrator with (change update) with (field table column row)	USPAT; US-PGPUB; IBM_TDB	2003/08/26 17:17
-	0	@ad<19990630 and database adj administrator with (change update) with (enterprise company remote location)	USPAT; US-PGPUB; IBM_TDB	2003/08/26 17:17
-	2	@ad<19990630 and database adj administrator with (modify change update) with (enterprise company remote location client)	USPAT; US-PGPUB; IBM_TDB	2003/08/26 17:24
-	63	@ad<19990630 and central\$5 adj database with client	USPAT; US-PGPUB; IBM_TDB	2003/08/26 17:25
-	1086	database and data adj format and (control\$4 restrict) adj access	USPAT; US-PGPUB	2003/08/27 10:08
-	478	@ad<19990630 and (database and data adj format and (control\$4 restrict) adj access)	USPAT; US-PGPUB	2003/08/27 10:08
-	326	((@ad<19990630 and (database and data adj format and (control\$4 restrict) adj access)) and central	USPAT; US-PGPUB	2003/08/27 10:09
-	320	((@ad<19990630 and (database and data adj format and (control\$4 restrict) adj access)) and central) and field	USPAT; US-PGPUB	2003/08/27 10:09
-	240	(((@ad<19990630 and (database and data adj format and (control\$4 restrict) adj access)) and central) and field) and remote	USPAT; US-PGPUB	2003/08/27 10:09
-	5	(((@ad<19990630 and (database and data adj format and (control\$4 restrict) adj access)) and central) and field) and remote adj office	USPAT; US-PGPUB	2003/08/27 10:10
-	32	(((@ad<19990630 and (database and data adj format and (control\$4 restrict) adj access)) and central) and field) and remote adj database	USPAT; US-PGPUB	2003/08/27 10:10
-	112	@ad<19990630 and 707/10.ccls. and central\$4 adj database	USPAT; US-PGPUB	2003/08/27 10:56
-	2946	@ad<19990630 and database adj management adj system	USPAT; US-PGPUB	2003/08/27 10:56
-	5	(@ad<19990630 and database adj management adj system) and (set adj format)	USPAT; US-PGPUB	2003/08/27 10:59
-	102	(@ad<19990630 and database adj management adj system) and (central\$4 adj control)	USPAT; US-PGPUB	2003/08/27 11:08
-	660	(@ad<19990630 and database adj management adj system) and (administrator)	USPAT; US-PGPUB	2003/08/27 11:09
-	117	(@ad<19990630 and database adj management adj system) and (administrator with (modify change update))	USPAT; US-PGPUB	2003/08/27 11:17
-	2	(@ad<19990630 and database adj management adj system) and (administrator with (modify change update) with (format field))	USPAT; US-PGPUB	2003/08/27 11:09
-	1	5,560,005.pn.	USPAT; US-PGPUB	2003/08/27 11:24
-	2804	database with (web website) with access	USPAT; US-PGPUB	2003/08/27 11:25
-	566	database with (web website) with access and @ad<19990630	USPAT; US-PGPUB	2003/08/27 11:26
-	83	(database with (web website) with access and @ad<19990630) and (data adj format)	USPAT; US-PGPUB	2003/08/27 11:35
-	0	@ad<19990630 and database same conversion same administrator same central	USPAT; US-PGPUB	2003/08/27 11:35
-	1	@ad<19990630 and database same convers\$4 same administrator same central	USPAT; US-PGPUB	2003/08/27 11:36

-	50	@ad<19990630 and database same (convers\$4 change update) same administrator same central	USPAT; US-PGPUB	2003/08/27 11:38
-	2873580	@ad<19990630	USPAT; US-PGPUB	2003/08/27 15:25
-	278	@ad<19990630 and database same access same permission	USPAT; US-PGPUB	2003/08/27 13:43
-	144	@ad<19990630 and database same access same permission and password	USPAT; US-PGPUB	2003/08/27 13:58
-	14	@ad<19990630 and database same access same permission and receive adj permission	USPAT; US-PGPUB	2003/08/27 14:01
-	11	@ad<19990630 and database same server with sends with permissions	USPAT; US-PGPUB	2003/08/27 14:01
-	552	@ad<19990630 and database same create same delete	USPAT; US-PGPUB	2003/08/27 14:06
-	227	@ad<19990630 and database same create same delete and security	USPAT; US-PGPUB	2003/08/27 14:06
-	147	@ad<19990630 and database same create same delete and security and central	USPAT; US-PGPUB	2003/08/27 14:07
-	41	(@ad<19990630 and database same create same delete and security and central) and data adj manage\$5	USPAT; US-PGPUB	2003/08/27 14:07
-	88	(@ad<19990630 and database same create same delete and security and central) and data\$5 adj manage\$5	USPAT; US-PGPUB	2003/08/27 14:08
-	86	@ad<19990630 and database same control\$4 adj access and central adj (server database)	USPAT; US-PGPUB	2003/08/27 14:30
-	1	"5552588".PN.	USPAT	2003/08/27 14:47
-	1	"5522066".PN.	USPAT	2003/08/27 14:47
-	2946	@ad<19990630 and database adj management adj system	USPAT; US-PGPUB	2003/08/27 14:59
-	13	6029160.URPN.	USPAT	2003/08/27 14:48
-	42	(@ad<19990630 and database adj management adj system) and conform\$5 with (remote client)	USPAT; US-PGPUB	2003/08/27 14:57
-	280	(@ad<19990630 and database adj management adj system) and client same field	USPAT; US-PGPUB	2003/08/27 14:57
-	15	(@ad<19990630 and database adj management adj system) and client same field same organization	USPAT; US-PGPUB	2003/08/27 14:57
-	156	@ad<19990630 and database adj management adj system and central\$5 adj database	USPAT; US-PGPUB	2003/08/27 15:13
-	396	@ad<19990630 and database adj management adj system and (data record) adj format	USPAT; US-PGPUB	2003/08/27 15:15
-	444	@ad<19990630 and database adj management adj system and (data record) adj format	USPAT; US-PGPUB	2003/08/27 15:16
-	271	(@ad<19990630 and database adj management adj system and (data record) adj format) and (central server) with (remote client)	USPAT; US-PGPUB	2003/08/27 15:19
-	17	(@ad<19990630 and database adj management adj system and (data record) adj format) and (central server) with (remote client) and heterogenous	USPAT; US-PGPUB	2003/08/27 15:20
-	129	(@ad<19990630 and database adj management adj system and (data record) adj format) and (central server) with (remote client) and enterprise	USPAT; US-PGPUB	2003/08/27 15:20
-	512	@ad<19990630 and airline adj reservation	USPAT; US-PGPUB	2003/08/27 15:25
-	54	@ad<19990630 and airline adj reservation and data adj format	USPAT; US-PGPUB	2003/08/27 16:22
-	95	5025373.URPN.	USPAT	2003/08/27 15:34
-	619	@ad<19990630 and (central with database) same (workstation terminal)	USPAT; US-PGPUB	2003/08/27 15:41

-	69	@ad<19990630 and (central with database with controls) same (workstation terminal)	USPAT; US-PGPUB	2003/08/27 15:41
-	1	"5272625".PN.	USPAT	2003/08/27 15:46
-	1	"4354269".PN.	USPAT	2003/08/27 15:46
-	1	"4817050".PN.	USPAT	2003/08/27 15:46
-	13	6029160.URPN.	USPAT	2003/08/27 15:51
-	1	"4803347".PN.	USPAT	2003/08/27 16:01
-	1	"4575621".PN.	USPAT	2003/08/27 16:01
-	1	"4545023".PN.	USPAT	2003/08/27 16:02
-	6	@ad<19990630 and storing same database same heterogeneous same central	USPAT; US-PGPUB	2003/08/27 16:09
-	43	@ad<19990630 and remote adj (location office) same central adj (server database)	USPAT; US-PGPUB	2003/08/27 16:23